



TWOFOLD COVER

TWOFOLD COVER enables free, individual access at both sides to power and data.

The lid opens easily and conveniently at both sides, and closes again in a soft cushioned action. The integrated brush insert prevents the cables from jamming. TWOFOLD COVER can also be retrofitted on existing equipment.

BENEFITS

- **Cushioned lid mechanism**
- **Opens as both sides**
- **Easy to use**
- **All-metal frame**
- **Thanks to the brush strips on both sides, cables can also be run with the cover closed**



Dimensions (W x H x D): 410 x 148 x 44 mm
Mounting depth: 41 mm
Material: aluminium

Tabletop thickness: min. 16 mm

Colour variants:



Opens at both sides
The lid opens easily and conveniently at both sides, and closes again in a soft cushioned action.

CONNECTION PANELS

TWOFOLD COVER

#	
943.001	Silver
943.002	White
943.003	Black

↔ **Access** to power and data possible **at both sides**.

Dimensions in mm

For suitable **power strips**, see from page 118.

For suitable **cable management solutions**, see from page 88.

Connection panels | Integrated units | **CONI, CONI DUO, CONI COVER tray and TWOFOLD COVER**

CONI, CONI DUO, CONI COVER tray and TWOFOLD COVER
Large power strips

- Width: approx. 356 mm
- Material: Anodised aluminium profile

#								
---	--	--	--	--	--	--	--	--

Power input: 0.2m cable and GST18i3 plug

912.008	5						35°	1
912.007	4						35°	2
912.006	3						35°	3
912.0168	2					•	35°	3
912.005	2						35°	4
912.004	1						35°	5
912.035	1			3			35°/0°	2
912.0221		4					90°	2
912.021		4					90°	1
912.022		3					90°	3
912.0280		2				•	90°	3
912.014			5				35°	1
912.013			4				35°	2
912.012			3				35°	3
912.0172			2			•	35°	3
912.011			2				35°	4
912.019				5			0°	2
912.018				4			0°	3
912.080				3		•	0°	3
912.017				2			0°	4
912.0931					3		35°	3
912.0242					2	•	35°	3
912.0056					2		35°	4

Power input: 2 x 0.2m cable (black and red) and GST18i3 plug (black)

912.024	1 x black 2 x red						35°	3
912.025	2 x black 2 x red						35°	2

Without power input

912.001							0°	6
---------	--	--	--	--	--	--	----	---



CONI COVER Large Accessories

#	
918.0753	CONI COVER tray Mounted to tabletop using supplied screws Material: Aluminium Black (anodised, similar to RAL9005) Suitable for large CONI power strips
918.0752	CONI COVER textile tray Additional protection for hanging cables Combined with CONI COVER tray Mounted using supplied screws Black (similar to RAL9005)
918.0754	Rubber covers for CONI COVER tray (supplied in packs of 8) Suitable for hole diameter 5 mm Latching mechanism Black (similar to RAL9005)



For suitable **device supply cables**, see from page 64.

For suitable **Custom Modules**, see from page 180.

Small CONI and CONI DUO power strips

- Width: approx. 217 mm
- Material: Anodised aluminium profile

#								
Power input: 0.2m cable and GST18i3 plug								
333.1007	3					35°		
912.0156	2					35°	●	
912.003	2					35°		1
333.1008	2					35°		2x CAT6a RJ45
912.037	1			1		35°/0°		1
912.0167	1					35°	●	1
912.002	1					35°		2
912.045		2				90°		1
912.1781		1				90°	●	1
912.0080		1				90°		2
333.0500			3			35°		
912.010			2			35°		1
912.0171			1			35°	●	1
912.009			1			35°		2
912.015				3		0°		1
912.0400				2		0°	●	1
912.016				1		0°		2
912.0071					2	35°		1
912.0055					1	35°		2
912.000						0°		3
Power input: 2 x 0.2m cable (black and red) and GST18i3 plug (black)								
912.023	1 x black 1 x red					35°		1



CONNECTION PANELS